II. AMENDMENTS TO THE CLAIMS:

Listing of Claims:

- 1-44. (Cancelled)
- 45. (Currently amended): A multi-channel system for classifying particles according to one or more characteristics of the particles, said system comprising: a plurality of flow cytometry units each of which is operable to classify particles in a mixture of particles by interrogating a stream of fluid containing said particles using a beam of pulsed electromagnetic radiation; said units sharing an integrated platform comprising a common source of said pulsed electromagnetic radiation and a common processor for receiving and processing information from the units.
- (Cancelled)
- 47. (Original): The system of claim 45 wherein said particles are cells,
- 48. (Original): The system of claim 45 wherein said particles are sperm cells.
- (Previously presented): The system of claim 45 wherein said integrated platform further comprises a common input for controlling operation of the units.
- (Cancelled)
- (Currently amended): The system of claim 45 wherein said common source of <u>said pulsed</u> electromagnetic radiation comprises a single <u>pulsed</u> laser beam.

- 52. (Currently amended): The system of claim 51 further comprising a beam splitting system for splitting the single <u>pulsed</u> laser beam into multiple beams and directing the multiple beams into optics systems of respective flow cytometry units.
- 53. (Previously presented): The system of claim 45 wherein said integrated platform further comprises a common housing, said flow cytometry units comprising interchangeable modules removably mounted in the housing.
- (Original): The system of claim 45 wherein each flow cytometry unit comprises an epiillumination optics system for interrogating a respective fluid stream.
- (Previously presented): The system of claim 45 wherein said processor is operable to output an indication of the fluorescence intensity measured by each unit.
- 56. (Previously presented): The system of claim 45 wherein said processor is operable to output an indication of the rate at which each unit is separating particles.
- (Previously presented): The system of claim 45 wherein said processor is operable to output an indication of particle staining variations.
- 58. (Previously presented): The system of claim 45 wherein said processor is operable to output an indication of a decision boundary used by each unit for discriminating between particles.
- (Original): The system of claim 45 wherein said flow cytometry units are adapted to operate in parallel.
- (Original): The system of claim 45 wherein said plurality of flow cytometry units are operable to sort the particles.

- (Previously presented): The system of claim 60 wherein said plurality of flow cytometry units comprises a jet-in-air droplet sorting flow cytometry unit.
- (Previously presented): The system of claim 45 wherein the common processor receives and
 processes said information to permit evaluation of the operation of one unit relative to
 another unit.
- (Previously presented): The system of claim 45 wherein the processor is operable to process
 the output signals in real time.
- 64. (Previously presented): The system of claim 45 wherein said common processor is operable to send control signals to the flow cytometry units during a sorting process to adjust their operation as a function of said information received by the common processor, and wherein the flow cytometry units are responsive to the control signals.

65-80. (Cancelled)

81. (Previously presented): The system of claim 45 wherein said integrated platform further comprises at least one of: (1) a common supply of particles; (2) a common housing; (3) a common input for controlling operation of the units; and (4) a common fluid delivery system for delivering fluid containing said particles to said flow cytometry units.